ELSEVIER

Neuroscience Letters 368 (2004) 354–356

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 368

Volume 368, no 1

Commentary

Fever, molecular excitability and epilepsy
J.M. Pascual (USA) 1

Plenary

Polymorphisms of casein kinase I gamma 2 gene associated with simple febrile seizures in Chinese Han population
M. Yinan, Q. Yu, C. Zhiyue, L. Jianjun, H. Lie, Z. Liping, Z. Jianhui, S. Fang, B. Dingfang, L. Qing, W. Xiru (PR China) 2

Restraint stress affects hippocampal cell proliferation differently in rats and mice
M.J. Bain, S.M. Dwyer, B. Rusak (Canada) 7

Scavenger receptor class B, type I mediates uptake of lipoprotein-associated phosphatidylcholine by primary porcine cerebrovascular endothelial cells
A. Sovic, Z. Balazs, A. Hrzenjak, H. Reicher, U. Panzenboeck, E. Malle, W. Sattler (Austria) 11

Fulminant hepatic failure induced oxidative stress in nonsynaptic mitochondria of cerebral cortex in rats
P.V.B. Reddy, C.R.K. Murthy, P. Reddanna (India) 15

FRAXE intermediate alleles are associated with Parkinson's disease
G. Annesi, G. Nicoletti, P. Tarantino, N. Cutuli, F. Annesi, E.V.D. Marco, M. Zappia, L. Morgante, G. Arabia, P. Pugliese, F. Condino, S. Carrideo, D. Civitelli, M. Caracciolo, N. Romeo, P. Spadafora, I.C. Candiano, A. Quattrone (Italy) 21

Projections from facial nucleus interneurons to the respiratory groups of brainstem in the rat
C. Li, Z. Guan, Y. Chan, Y. Zheng (PR China) 25

Nucleus accumbens single-unit activity in freely behaving male rats during approach to novel and non-novel estrus
D.A. Wood, A.E.K. Kosobud, G.V. Rebec (USA) 29

Psychotic symptoms in Alzheimer's disease are not influenced by polymorphic variation at the dopamine receptor DRD3 gene
D. Craig, D.J. Hart, R. Carson, S.P. McIlroy, A.P. Passmore (UK) 33

Spreading depression activates unfolded protein response
E. Schneeloch, S. Wenkel, G. Mies, W. Paschen (Germany) 37

Association study of polymorphisms in the 5′ upstream region of human *DISC1* gene with schizophrenia
T.T.J.P. Kockelkorn, M. Arai, H. Matsumoto, N. Fukuda, K. Yamada, Y. Minabe, T. Toyota, H. Ujike, I. Sora, N. Mori, T. Yoshikawa, M. Itokawa (Japan) 41

Effect of sensory stimulus on striatal dopamine release in humans and cats: a [11C]raclopride PET study
S. Thobois, W. Hassoun, N. Ginovart, L. Garcia-Larrea, M. Le Cavorsin, S. Guillouet, F. Bonnefoi, N. Costes, F. Lavenne, E. Broussolle, V. Leviel (France) 46

Single and Sequential REM sleep episodes in humans: a phylogenetic left-over?
M.J. Esposito, G. Zamboni, V. Natale, F. Lucidi, A. Devoto, C. Violani (Italy) 52

Reduction of human neocortical and guinea pig CA1-neuron A-type currents by organic calcium channel blockers
C. Rüschenschmidt, H. Straub, R. Köhling, E. Siep, A. Gorji, E.-J. Speckmann (Germany) 57

Various immunization protocols for an acute motor axonal neuropathy rabbit model compared
K. Susuki, Y. Nishimoto, M. Koga, T. Nagashima, I. Mori, K. Hirata, N. Yuki (Japan) 63

Exogenous application of glucose induces aging in rat cerebral oligodendrocytes as revealed by alteration in telomere length
V. Dabouras, A. Rothermel, A. Reininger-Mack, S.L. Wien, P.G. Layer, A.A. Robitzki (Switzerland, Germany) 68

Prepro-orexin mRNA expression in the rat brain is increased during pregnancy
K. Kanenishi, M. Ueno, S. Momose, H. Kuwabara, H. Tanaka, C. Sato, T. Kobayashi, O. Hino, H. Sakamoto, T. Hata (Japan) 73

Accuracy of a practicable EMG to force model for knee muscles
C.A.M. Doorenbosch, J. Harlaar (The Netherlands) 78

Cannabinoids blocks tactile allodynia in diabetic mice without attenuation of its antinociceptive effect
A. Dorul, H. Gül, O. Yıldız, F. Bilgin, M.E. Güzeldemir (Turkey) 82

Estradiol reduces cytochrome *c* translocation and minimizes hippocampal damage caused by transient global ischemia in rat
G. Bagetta, O. Chiappetta, D. Amantea, M. Iannone, D. Rotiroti, A. Costa, G. Nappi, M.T. Corasaniti (Italy) 87

Cerebrovasodilation evoked by stimulation of subthalamic vasodilator area and hypoxia depends upon the integrity of cortical neurons in the rat
C.P. Ilch, E.V. Golanov (USA) 92

High voltage-activated Ca^{2+} channel currents in isolectin B_4-positive and -negative small dorsal root ganglion neurons of rats
Z.-Z. Wu, H.-L. Pan (USA) 96

doi:10.1016/S0304-3940(04)01104-8

ELSEVIER

Neuroscience Letters 368 (2004) 354–356

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 368

Volume 368, no 1

Commentary

Fever, molecular excitability and epilepsy
J.M. Pascual (USA) 1

Plenary

Polymorphisms of casein kinase I gamma 2 gene associated with simple febrile seizures in Chinese Han population
M. Yinan, Q. Yu, C. Zhiyue, L. Jianjun, H. Lie, Z. Liping, Z. Jianhui, S. Fang, B. Dingfang, L. Qing, W. Xiru (PR China) 2

Restraint stress affects hippocampal cell proliferation differently in rats and mice
M.J. Bain, S.M. Dwyer, B. Rusak (Canada) 7

Scavenger receptor class B, type I mediates uptake of lipoprotein-associated phosphatidylcholine by primary porcine cerebrovascular endothelial cells
A. Sovic, Z. Balazs, A. Hrzenjak, H. Reicher, U. Panzenboeck, E. Malle, W. Sattler (Austria) 11

Fulminant hepatic failure induced oxidative stress in nonsynaptic mitochondria of cerebral cortex in rats
P.V.B. Reddy, C.R.K. Murthy, P. Reddanna (India) 15

FRAXE intermediate alleles are associated with Parkinson's disease
G. Annesi, G. Nicoletti, P. Tarantino, N. Cutuli, F. Annesi, E.V.D. Marco, M. Zappia, L. Morgante, G. Arabia, P. Pugliese, F. Condino, S. Carrideo, D. Civitelli, M. Caracciolo, N. Romeo, P. Spadafora, I.C. Candiano, A. Quattrone (Italy) 21

Projections from facial nucleus interneurons to the respiratory groups of brainstem in the rat
C. Li, Z. Guan, Y. Chan, Y. Zheng (PR China) 25

Nucleus accumbens single-unit activity in freely behaving male rats during approach to novel and non-novel estrus
D.A. Wood, A.E.K. Kosobud, G.V. Rebec (USA) 29

Psychotic symptoms in Alzheimer's disease are not influenced by polymorphic variation at the dopamine receptor DRD3 gene
D. Craig, D.J. Hart, R. Carson, S.P. McIlroy, A.P. Passmore (UK) 33

Spreading depression activates unfolded protein response
E. Schneeloch, S. Wenkel, G. Mies, W. Paschen (Germany) 37

Association study of polymorphisms in the 5′ upstream region of human *DISC1* gene with schizophrenia
T.T.J.P. Kockelkorn, M. Arai, H. Matsumoto, N. Fukuda, K. Yamada, Y. Minabe, T. Toyota, H. Ujike, I. Sora, N. Mori, T. Yoshikawa, M. Itokawa (Japan) 41

Effect of sensory stimulus on striatal dopamine release in humans and cats: a [11C]raclopride PET study
S. Thobois, W. Hassoun, N. Ginovart, L. Garcia-Larrea, M. Le Cavorsin, S. Guillouet, F. Bonnefoi, N. Costes, F. Lavenne, E. Broussolle, V. Leviel (France) 46

Single and Sequential REM sleep episodes in humans: a phylogenetic left-over?
M.J. Esposito, G. Zamboni, V. Natale, F. Lucidi, A. Devoto, C. Violani (Italy) 52

Reduction of human neocortical and guinea pig CA1-neuron A-type currents by organic calcium channel blockers
C. Rüschenschmidt, H. Straub, R. Köhling, E. Siep, A. Gorji, E.-J. Speckmann (Germany) 57

Various immunization protocols for an acute motor axonal neuropathy rabbit model compared
K. Susuki, Y. Nishimoto, M. Koga, T. Nagashima, I. Mori, K. Hirata, N. Yuki (Japan) 63

Exogenous application of glucose induces aging in rat cerebral oligodendrocytes as revealed by alteration in telomere length
V. Dabouras, A. Rothermel, A. Reininger-Mack, S.L. Wien, P.G. Layer, A.A. Robitzki (Switzerland, Germany) 68

Prepro-orexin mRNA expression in the rat brain is increased during pregnancy
K. Kanenishi, M. Ueno, S. Momose, H. Kuwabara, H. Tanaka, C. Sato, T. Kobayashi, O. Hino, H. Sakamoto, T. Hata (Japan) 73

Accuracy of a practicable EMG to force model for knee muscles
C.A.M. Doorenbosch, J. Harlaar (The Netherlands) 78

Cannabinoids blocks tactile allodynia in diabetic mice without attenuation of its antinociceptive effect
A. Dorul, H. Gül, O. Yıldız, F. Bilgin, M.E. Güzeldemir (Turkey) 82

Estradiol reduces cytochrome *c* translocation and minimizes hippocampal damage caused by transient global ischemia in rat
G. Bagetta, O. Chiappetta, D. Amantea, M. Iannone, D. Rotiroti, A. Costa, G. Nappi, M.T. Corasaniti (Italy) 87

Cerebrovasodilation evoked by stimulation of subthalamic vasodilator area and hypoxia depends upon the integrity of cortical neurons in the rat
C.P. Ilch, E.V. Golanov (USA) 92

High voltage-activated Ca^{2+} channel currents in isolectin B_4-positive and -negative small dorsal root ganglion neurons of rats
Z.-Z. Wu, H.-L. Pan (USA) 96

doi:10.1016/S0304-3940(04)01104-8

Increase of galanin-like immunoreactivity in rat hypothalamic arcuate neurons after peripheral nerve injury
H. Imbe, T. Abe, K. Okamoto, M. Sato, H. Ito, S. Kumabe, E. Senba (Japan) 102
Development of neuropathic pain is affected by bedding texture in two models of peripheral nerve injury in rats
I. Robinson, T. Dowdall, T.F. Meert (Belgium, UK) 107
The role of nitrinergic connections in central cardiovascular responses mediated by physostigmine infused into posterior hypothalamus
E. Palma, C. Muscoli, E. Mancuso, F. Sculco, I. Sacco, W. Alecce, N. Costa, C. Colica, D. Cristiano, D. Rotiroti, V. Mollace (Italy) 112
Spinal cholinergic involvement after treatment with aspirin and paracetamol in rats
K.S.P. Abelson, M. Kommalage, A.U. Höglund (Sweden) 116

Volume 368, no 2

A glycogen synthase kinase 3-β promoter gene single nucleotide polymorphism is associated with age at onset and response to total sleep deprivation in bipolar depression
F. Benedetti, A. Serretti, C. Colombo, C. Lorenzi, V. Tubazio, E. Smeraldi (Italy) 123
Distribution of pH regulators in the rat laryngeal nerve: the spatial relationship between Na^+/HCO_3^- cotransporters and Na^+/H^+ exchanger type 3
Y. Yamamoto, K. Taniguchi (Japan) 127
Phase-resetting response to (+)8-OH-DPAT, a serotonin 1A/7 receptor agonist, in the mouse in vivo
K. Horikawa, S. Shibata (Japan) 130
Regional changes in glial cell line-derived neurotrophic factor after cardiac arrest and hypothermia in rats
K.M. Schmidt, M.J. Repine, S.D. Hicks, D.B. DeFranco, C.W. Callaway (USA) 135
Influence of polymorphisms in the genes for cytokines and glutathione S-transferase omega on sporadic Alzheimer's disease
M. Nishimura, T. Sakamoto, R. Kaji, H. Kawakami (Japan) 140
Apolipoprotein E receptor 2 is involved in neuritic plaque formation in APP sw mice
Y. Motoi, M. Itaya, H. Mori, Y. Mizuno, T. Iwasaki, H. Hattori, S. Haga, K. Ikeda (Japan) 144
APP and PS-1 mutations induce brain oxidative stress independent of dietary cholesterol: implications for Alzheimer's disease
H. Mohmmad Abdul, G.L. Wenk, M.G. Gramling, B. Hauss-Wegrzyniak, D.A. Butterfield (USA) 148
Heterogeneous response of cerebral blood flow to hypotension demonstrated by laser speckle imaging flowmetry in rats
A. Kharlamov, B.R. Brown, K.A. Easley, S.C. Jones (USA) 151
How the human auditory system treats repetition amongst change
J. Horváth, I. Winkler (Hungary, Finland) 157
Expression of tumor necrosis factor α in nerve fibers and oligodendrocytes after transient focal ischemia in mice
H. Ohtaki, L. Yin, T. Nakamachi, K. Dohi, Y. Kudo, R. Makino, S. Shioda (Japan) 162
Chronic treatment with lithium increases the ecto-nucleotidase activities in rat hippocampal synatosomes
L.C. Wilot, R.S. Da Silva, O.J. Ferreira, C.D. Bonan, J.J.F. Sarkis, E. Rocha, A.M.O. Battastini (Brasil) 167
Intraocular implantation of DNA-transfected retinal pigment epithelium cells: a new approach for analyzing molecular functions in the newt retinal regeneration
C. Chiba, K. Nakamura, S. Unno, T. Saito (Japan) 171
The relation between force magnitude, force steadiness, and muscle co-contraction in the thumb during precision grip
F. Danion, C. Galléa (France) 176
Both *N*-methyl-D-aspartate (NMDA) and non-NMDA receptors mediate glutamate-induced cleavage of the cyclin-dependent kinase 5 (cdk5) activator p35 in cultured rat hippocampal neurons
P. Kerokoski, T. Suuronen, A. Salminen, H. Soininen, T. Pirttilä (Finland) 181
Constitutive activity of *N*-β-alanyl-catecholamine ligase in insect brain
M. Pérez, J. Schachter, L.A. Quesada-Allué (Argentina) 186
Effects of food consistency on the pattern of extrinsic tongue muscle activities during mastication in freely moving rabbits
M. Inoue, Y. Harasawa, K. Yamamura, S. Ariyasinghe, Y. Yamada (Japan) 192
Changes to cold detection and pain thresholds following low and high frequency transcranial magnetic stimulation of the motor cortex
J. Summers, S. Johnson, S. Pridmore, G. Oberoi (Australia) 197
Does brain specific 24*S*-hydroxycholesterol in plasma indicate the disruption of the blood–brain barrier in patients with ischemic stroke?
S. Holdenrieder, D. Lütjohann, S. Geiger, K. von Bergmann, P. Stieber, G.F. Hamann (Germany) 201
Apparent scarcity of glial fibrillary acidic protein expression in the brain of the pygmy shrew *Sorex minutus* as revealed by immunocytochemistry
S. Olkowicz, K. Bartkowska, L. Rychlik, K. Turlejski (Poland) 205
Posttraining administration of pentylenetetrazol dissociates gabapentin effects on memory consolidation from that on memory retrieval process in mice
M.G. Blake, M.M. Boccia, G.B. Acosta, C.M. Baratti (Argentina) 211
Delta and theta power spectra of night sleep EEG are higher in breast-feeding mothers than in non-pregnant women
K. Nishihara, S. Horiuchi, H. Eto, S. Uchida, M. Honda (Japan) 216
Alternative modalities of adenovirus-mediated gene expression in hippocampal neurons cultured on microisland substrate
H. Chen, Y. Honse, S.R. Ikeda (USA) 221
Capsaicin-evoked substance P release in rat dorsal horn increases after peripheral inflammation: a microdialysis study
A. Warsame Afrah, H. Gustafsson, L. Olgart, E. Brodin, C.-O. Stiller, B.K. Taylor (Sweden, USA) 226
The human brain processes visual changes that are not cued by attended auditory stimulation
P. Astikainen, T. Ruusuvirta, J. Wikgren, T. Korhonen (Finland) 231
Human neuronal encoding of English syntactic violations as revealed by both L1 and L2 speakers
M. Kubota, P. Ferrari, T.P.L. Roberts (Japan, USA) 235

Volume 368, no 3

Influence of maternal pineal gland on the developmental pattern of neurokinin A (NKA) and substance P (SP) in male-rat-offspring: relationship to the season of the year
N. Vázquez Moreno, L. Debeljuk, E. Díaz Rodríguez, C. Fernández Alvarez, B. Díaz López (Spain, USA) 243
Expression of *ether à go-go* potassium channels in human gliomas
S. Patt, K. Preußat, C. Beetz, R. Kraft, M. Schrey, R. Kalff, K. Schönherr, S.H. Heinemann (Germany) 249
Long-term effects of neonatal seizures on subsequent *N*-methyl-D-aspartate receptor-1 and gamma-aminobutyric acid receptor A-α1 receptor expression in hippocampus of the Wistar rat
H. Ni, Y.-W. Jiang, T. Bo, J.-M. Wang, H. Pan, X.-R. Wu (PR China) 254
Alternative therapy of Alzheimer's disease via supplementation with choline acetyltransferase
A.L. Fu, Q. Li, Z.H. Dong, S.J. Huang, Y.X. Wang, M.J. Sun (China) 258
Inhibition of neuropathic pain by a potent disintegrin—triflavin
W.-M. Fu, T.-K. Chang, W.-Z. Sun, Q.-D. Ling, H.-C. Peng, H.-C. Liou, D.-Y. Lu, T.-F. Huang (Taiwan) 263
DRD4 exon 3 variants are not associated with symptomatology of major psychoses in a German population
A. Serretti, C. Lorenzi, L. Mandelli, S. Cichon, J. Schumacher, M.M. Nöthen, M. Rietschel, M. Tullius, S. Ohlraun (Italy, Belgium, Germany) 269
Increased presence of matrix metalloproteinases 2 and 9 in short- and long-term experimental herpes simplex virus encephalitis
F.J. Martínez-Torres, S. Wagner, J. Haas, R. Kehm, J. Sellner, W. Hacke, U. Meyding-Lamadé (Germany) 274
Aromatase, the enzyme responsible for estrogen biosynthesis, is expressed by human and rat glioblastomas
J.G. Yague, E. Lavaque, J. Carretero, I. Azcoitia, L.M. Garcia-Segura (Spain) 279
Plasmin deficiency does not alter endogenous murine amyloid beta levels in mice
H.M. Tucker, J. Simpson, M. Kihiko-Ehmann, L.H. Younkin, J.P. McGillis, S.G. Younkin, J.L. Degen, S. Estus (USA) 285
Association study of three polymorphisms of kinesin light-chain 1 gene with Alzheimers disease
C.-M. Dhaenens, E. Van Brussel, S. Schraen-Maschke, F. Pasquier, A. Delacourte, B. Sablonnire (France) 290
Acute restraint stress reduces protein kinase Cγ in the hippocampus of C57BL/6 but not DBA/2 mice
R.K. McNamara, R.H. Lenox (USA) 293
Noise-induced changes of neuronal spontaneous activity in mice inferior colliculus brain slices
D. Basta, A. Ernest (Germany) 297
Altered levels of plasma 24S- and 27-hydroxycholesterol in demented patients
H. Klsch, R. Heun, A. Kerksiek, K.v. Bergmann, W. Maier, D. Lütjohann (Germany) 303
Increased Alix (apoptosis-linked gene-2 interacting protein X) immunoreactivity in the degenerating striatum of rats chronically treated by 3-nitropropionic acid
D. Blum, F.J. Hemming, M.-C. Galas, S. Torch, L. Cuvelier, S.N. Schiffmann, R. Sadoul (Belgium, France) 309
Genetics, prefrontal cortex, and cognitive control: a twin study of event-related brain potentials in a response inhibition task
A.P. Anokhin, A.C. Heath, E. Myers (USA) 314
A novel presenilin 1 mutation (Y154N) in a patient with early onset Alzheimers disease with spastic paraparesis
S. Hattori, K. Sakuma, Y. Wakutani, K. Wada, M. Shimoda, K. Urakami, H. Kowa, K. Nakashima (Japan) 319
The KPNB3 locus is associated with schizophrenia
J. Wei, G.P. Hemmings (UK) 323
Ketamine potentiates the effect of electroacupuncture on mechanical allodynia in a rat model of neuropathic pain
C. Huang, H.-T. Li, Y.-S. Shi, J.-S. Han, Y. Wan (PR China) 327
Magnetic resonance imaging of differential gray versus white matter injury following a mild or moderate hypoxic-ischemic insult in neonatal rats
M. Qiao, S. Meng, K. Scobie, T. Foniok, U.I. Tuor (Canada, China) 332
A transcranial magnetic stimulation study of the ipsilateral silent period in lower limb muscles
Y.L. Lo, S. Fook-Chong (Singapore) 337
Gabapentin relieves mechanical, warm and cold allodynia in a rat model of peripheral neuropathy
S.K. Back, S.Y. Won, S.K. Hong, H.S. Na (Korea) 341
Exposure to alcohol on E9 raises poststress corticosterone in mature but not old mice
E. Park, R. Dumas, G. Schuller-Levis, A. Rabe (USA) 345

Author Index 349
Volume of Contents 354